



REQUEST FOR PROPOSAL

FURNISHING AND DELIVERY OF

ONE 8-PASSENGER ACCESSIBLE GAS BUS

TO MAUI ECONOMIC OPPORTUNITY, INC.

**F.O.B. MEO BASEYARD
3957 HANSEN RD KAHULUI, HI 96732**

REQUEST FOR PROPOSAL

RFP-1- FY 2021-2022

REQUEST FOR PROPOSAL

**FURNISHING AND DELIVERY OF
ONE 8-PASSENGER ACCESSIBLE BUS
TO MAUI ECONOMIC OPPORTUNITY (MEO)
COUNTY OF MAUI**

RFP-1-FY 2021-2022

Sealed proposals shall be received and time stamped by the administrative staff, MEO Administration, 99 Mahalani St. Wailuku, Maui, Hawaii, 96793, by 4:00 o'clock p.m. on November 15, 2021 and will then be publicly opened thereafter.

This RFP can be found in its entirety at www.meoinc.org

Debbie Cabebe, SHRM-SCP
Chief Executive Officer

REQUEST FOR PROPOSAL BID FORM
RFP-1-FY-2021-2022

MEO Administration
99 Mahalani Street
Wailuku, Maui, Hawaii 96793

DATE

To Whom It May Concern:

The undersigned hereby agrees to furnish and deliver to MEO, the following in accordance with the requirements provided in this RFP.

**FURNISHING AND DELIVERY OF
ONE 8-PASSENGER ACCESSIBLE GAS BUS**

F.O.B.: POINT ON MAUI MEO BASEYARD, PUUNENE MAUI

ONE (1) 8-passenger accessible gas bus:

Year, Make & Model: _____

Unit Bid Price: \$ _____

Net Total Outright Purchase Price of \$ _____

ADDITIVE OPTION:

The price quote of this item is independent of this bid solicitation. MEO may or may not purchase the additive option listed below. The prices of these options are not to be added into the final cost of the bus bid. This is independent of this bid solicitation.

- A. One (1) LiquidSpring Compressible Liquid Adaptive Suspension System.
This cost would be the “upgrade” cost to have this option. \$ _____

UPON RECEIPT OF THE “NOTICE TO PROCEED”, DELIVERY MUST BE COMPLETE NO SOONER THAN NOVEMBER 1, 2022 AND NO LATER THAN MARCH 30, 2023.

.....
PROCUREMENT IS SUBJECT TO THE AVAILABILITY OF FUNDING.

THE UNDERSIGNED ALSO AGREES AS FOLLOWS:

1. Bid prices inclusive. That the bid prices include all taxes, permits, delivery costs, and other applicable costs/fees, unless specified otherwise.
2. No collusion. That, by submitting its bid, the bidder certifies that its bid price(s) were independently arrived at, without collusion on the part of any person, firm, or corporation, and that no official or employee of the government is directly or indirectly interested in the Bid or in the supplies or work to which it relates or in any portion of the profits thereof. (auth: 3-122-192)
A “Certificate of Non-collusion” is required if competing subsidiaries or jointly owned companies submit offers.
3. Incorporation by reference. The bidder hereby agrees that all documents referred to are hereby incorporated by reference into this bid.
4. Documents and Certifications. Bidders are required to submit documentation and certifications with bid.
 - a. Certification Regarding Lobbying
 - b. Debarment and Suspension Certification
 - c. Compliance with Buy America and FMVSS Rolling Stock Requirements Certification
 - d. Non-compliance with Buy-America and FMVSS Rolling Stock Requirements Certification
 - e. FMVSS 220 Rollover Certification
 - f. Detailed floor plan with leg room spacing in inches between seats- front, rear and side elevation
 - g. Transit Vehicle Manufacturer form
 - h. A “Certificate of Non-collusion” is required if competing subsidiaries or jointly owned companies submit offers
5. Post Award and Prior to Delivery
 - a. Best Testing Certification
 - b. Altoona Test Results- 7 year/200,00 mile test report

Failure to submit required documents and certifications shall result in disqualification

If there is a conflict between Local, State and Federal rules and regulations, the Federal rules and regulations shall prevail.

Respectfully submitted,

PRINT NAME OF BIDDER (COMPANY)

AUTHORIZED SIGNATURE

PRINT NAME & TITLE OF
AUTHORIZED SIGNATORY

ADDRESS: _____ ZIP CODE: _____

TELEPHONE #: _____ FAX #: _____

STATE OF HAWAII GENERAL EXCISE TAX LICENSE #: _____

FEDERAL EMPLOYER IDENTIFICATION #: _____

TYPE OF ORGANIZATION: (Please designate, check)

CORPORATION; LTD LIAB CO; PARTNERSHIP; INDIVIDUAL

FORM OF EVIDENCE OF AUTHORITY TO SIGN BID DOCUMENT (AATCH &
ENCLOSE WITH BID):

CORP. RESOL; CORP. BY-LAWS; ARTICLES OF INCORP;

ARTICLES OF ORGANIZATION; OPERATING AGREEMENT;

PARTNERSHIP REGISTRATION STATEMENT; PARTNERSHIP AGMT.

POWER OF ATTORNEY; OTHER _____

THE BIDDER IS:

____ A HAWAII BUSINESS INCORPORATED OR ORGANIZED UNDER THE LAWS OF THE STATE OF HAWAII; OR

____ A COMPLIANT NON-HAWAII BUSINESS NOT INCORPORATED OR ORGANIZED UNDER THE LAWS OF THE STATE OF HAWAII, BUT IS REGISTERED AT THE STATE OF HAWAII DEPARTMENT OF COMMERCE AND CONSUMER AFFAIRS BUSINESS REGISTRATION DIVISION TO DO BUSINESS IN THE STATE OF HAWAII

STATE OF INCORPORATION: HAWAII _____

OTHER _____
(Please specify)

IF CORPORATION, STATE WHO WILL SIGN CONTRACT AND HIS TITLE:

_____	_____
NAME	TITLE
_____	_____
NAME	TITLE

If bidder is a **CORPORATION**, the legal name of the corporation shall be set forth above, together with the signature(s) of the person(s) authorized to sign bids and contracts on behalf of the corporation. **Evidence of the authority of the person(s) signing this bid on behalf of the Corporation SHALL be attached to this page or included with the bid documents. Acceptable evidence of authority to sign may include, but is not limited to, a copy of the articles of incorporation, corporate resolution or corporate by-laws. See HRS, Chapter 415 Hawaii Business Corporation Act.**

If bidder is a **LIMITED LIABILITY COMPANY**, the legal name of the company shall be set forth above, together with the signature(s) of the manger(s) or member(s) authorized to sign bids and contracts on behalf of the company. **Evidence of the authority of the person(s) signing this bid on behalf of the Company SHALL be attached to this page or included with the bid documents. Acceptable evidence of authority to sign may include, but is not limited to, a copy of the articles of organization or operating agreement. See HRS, Chapter 428 Uniform Limited Liability Act.**

If bidder is a **PARTNERSHIP**, the true name of the firm shall be set forth above, together with the signature(s) of the Partner(s) authorized to sign bids and contracts on behalf of the partnership. **Evidence of the authority of the person(s) signing this bid on behalf of the partnership SHALL be attached to this page or included with the bid documents. Acceptable evidence of authority to sign for the partnership may include, but is not limited to, a copy of the partnership registration statement or authorization signed by all of the partners. See HRS, Chapter 425 Partnerships.**

If bidder is an **INDIVIDUAL**, his signature shall be placed above.

SIGNATURE BY AGENT. If signature is by an agent, other than an Officer of a corporation or a member of a partnership, a **POWER OF ATTORNEY SHALL** be submitted with the bid.

SPECIAL PROVISIONS

RFP -21-1

1. The furnishing and delivery of One 8-Passenger Accessible Gas Bus to Maui Economic Opportunity, shall be subject to the Minimum Specifications, Special Provisions, Offer Form and General Terms and Conditions in this order of priority.
2. Offer shall include all applicable taxes, except Federal Excise Tax from which the MEO is exempt, and delivery charges F.O.B. to MEO Transportation in Puunene, Maui, HI. Freight Prepaid.
3. Bidders are requested to enclose with their offer form detailed specifications and brochures verifying that the bus being offered conforms to the specifications.
4. Manufacturer's warranty shall be enclosed with the offer form.
5. Bus shall be delivered fully fueled, assembled and operational.
6. Manufacturer's brands and stock/part numbers specified do not denote a preference for that make, but specify the level of quality desired. Alternate brands found to be equal to or greater in quality to the brand specified may be accepted by the Officer-In-Charge, however the burden to prove equality shall rest with the bidder.
7. Factory authorized service facilities shall be located on the island of Maui. Bidder shall denote the name and address of the repair/service shop in the space provided. If other than the bidder's service facility, a letter confirming the service arrangement shall be attached to the offer form.
8. The CEO reserves the right -
 - a. to accept or reject any or all offers and to waive any minor or inadvertent discrepancy in the bid documents;
 - b. to withhold confirmation of award for a period of sixty (60) calendar days from the date of bid opening; and
 - c. to increase the quantity any time prior to award, and the vendor agrees not to claim loss of profit from this change.
9. Bidder shall not submit more than one (1) offer form. Doing so, shall be cause for rejection of all offers from that bidder.

TERM OF CONTRACT: The term of the contract will be designated as the date of the notice to proceed date through April 30, 2023.

10. **BID PRICES:** The UNIT BID PRICE shall be inclusive of all taxes, permits, delivery costs, and other applicable costs/fees, unless specified otherwise to furnish and deliver the 8-passenger accessible gas bus being offered in the original bid pursuant to the Specifications and these Special Provisions herein. The bidder is also reminded to provide all necessary documents for the execution of the award as described herein.
11. A contract shall be awarded to the lowest responsible and responsive bidder, based on the UNIT BID PRICE. Incomplete, conditional and irregular bids shall be rejected.
12. Whenever there is a mathematical error, the unit price shall govern.
13. A bid bond and performance bond shall not be required.
14. No offer shall be withdrawn after the hour set for the bid opening.
15. Delivery date shall be no sooner than November 1, 2022 and no later than March 30, 2023 as specified in the "Notice to Proceed" issued by the CEO.
16. Bids shall be submitted in a sealed envelope, and shall be on the offer form provided. Faxed offers shall be rejected.
17. Bidder shall deliver or mail sealed offer to MEO Administration, 99 Mahalani St. Wailuku, Hawaii 96793.
18. Offers must be received in our office by 4:00 o'clock p.m. on Monday, November 15, 2021 for the bid opening. Offers mailed and postmarked earlier than the date and time specified, but received and time stamped later shall be rejected. Offers received and time stamped earlier at other locations, but time stamped by the bid receiver later than the date and time specified, shall also be rejected.
19. Any questions pertaining to this solicitation shall be directed to Debbie Cabebe, CEO, Maui Economic Opportunity, Inc. Telephone: (808) 243-4300 or debbie.cabeb@meoinc.org
20. Substitution requests must be received at least ten (10) calendar days prior to the bid opening date. Any acceptable modifications or clarifications shall be made by issuance of an addendum, and shall be given by written notice to all parties.

21. The successful bidder must produce the following documents:
 - a. Tax Clearance Certificate
 - b. DLIR Certificate of Compliance
 - c. Certificate of Good Standing from the DCCA

The awarded vendor is encouraged to use the Hawaii Compliance Express website to assist them in obtaining the above certificates. The state website is <http://vendors.ehawaii.gov>.

BID SPECIFICATIONS

8-PASSENGER ACCESSIBLE GAS BUS SPECIFICATIONS

CHASSIS/POWER TRAIN – STANDARD SPECIFICATIONS:

ADA Compliant Buses with four (4) auto retractable 4-point wheelchair belt system seating capacity when converted or minimum of eight (8) flip seated ambulatory passengers.

2020 or latest production

Chevy 3500 Cutaway or approved equal

139" Maximum Wheelbase

12,300 lbs. minimum GVWR Chassis w/ dual rear wheels.

V-8 Gas engine.

GM 6-Speed Automatic Transmission or approved equal w/ Overdrive & Auxiliary Cooler

PennTex Heavy Duty Alternator PX-422V 12-Volt 220 Amp with PX-4000 Voltage Regulator or approved equal.

Rear Axle Ratio of 3.73

Heavy Duty Independent Leaf Spring Rear Suspension w/ Shock Absorbers & 1" Stabilizer Bar. With Additional Leaf Spring – Lift (Right) side.

Integrated Hydraulic Assist Power Steering w/ External Oil Cooler.

Tilt Steering Wheel

Power Hydraulic 4-Wheel Disc Brakes w/4-Wheel ABS.

Parking Brake - Foot Pedal Apply.

Seven (7) 225/75R Radial Tires with tire valve extensions 6"

Spare Tire w/Rim, shipped loose in the bus.

Tire Rims painted white in color (both sides) includes spare tire.

Tires to be aligned prior to delivery.

Heavy Duty OEM Cooling.

OEM Chrome Front Bumper.

Drive Shaft Guards.

Instruments shall be all gauges in lieu of indicator lights.

OEM Left side exhaust **MUST** extend beyond rear of body.

Front & Rear Mud Flaps – w/stainless steel mounting & fasteners.

BODY-SPECIFICATIONS:

Bus Body shall comply with all Motor Vehicle Safety Standards, Both Federal and State of Hawaii.

Body shall be steel reinforced composite. (Body exterior to be constructed of full gel-coated, honeycomb fiberglass integrated into all parts above the floor line. This construction and these materials shall be a homogeneous design with a structural core that contains the same polymer based resin as the outer and inner structural panel)

Floor shall be ¾" Space Age 2611 composite-sealed & undercoated or approved equal.

Altro Transflor Windmill Saturn TFCR 22406 Rubber Flooring or approved equal (seamless flooring that curves up the side body wall to butt up against the bottom of the seat rail)

Step Nosing, Yellow Altro or approved equal

Standee Line, Yellow Altro or approved equal

Bus body builder ISO 9001 certified copy and certificate submitted with bid

Padded Headers over Driver, Entry, & Wheelchair Doors gray in color.

Overhead reinforced steel structure w/ a plywood floor (min. 3 ft. wide) for storage located above driver / windshield w/ key locks on access panel door. Key code: see key code section. Door should be on hinges (on the bottom) and opens/folds out. There should be one key lock at top center with two twist locks on top left and right of door. (see image below).



All Stainless Steel exterior screws **ONLY**.

14 gauge galvanized Steel wheel wells.

All external rearview mirrors and brackets shall be stainless steel.

Fuel Sender access plate in floor.

One (1) Transpec Lo-Profile Roof Vent / Exit or approved equal.

Stainless Rear Bumper – powder coated white in color.

Exterior color White paint with clear coat and Gloss Black paint with clear coat around windows and frames. Sikaflex seal all windows.

Interior color - polypropylene gray headliner.

County of Maui 3M IJ380C with High Performance 3M 8580 Laminate or approved equal graphics & lettering (**Attachment "B"**)

Dimensions:

Exterior height: 114" maximum

Exterior length: 265" maximum

Exterior width: 86" minimum

Interior height at aisle: 75" minimum

Bus body shall be fully insulated with polyurethane flame retardant.

Bus body shall be R6 insulated for sound deadening.

The complete bus shall include heavy duty Ziebart or approved equal undercoating and rust proofing throughout OEM body. Particularly around the windshield, driver and passenger entrances, and wheelchair doors.

All structural internal and external steel shall be treated with zinc chromate.

Stainless Steel Wheelchair Door Frame (inside and outside).

Stainless Steel Entrance Door Frame (inside and outside) & Stairs.

2" elastomeric material on each section that overlaps to form a tight seal at passenger entrance and wheelchair door frames.

Driver side aluminum running board step.

Passenger windows 31% tint with Full Fixed Frameless windows.

Driver Curbside window, located forward of the passenger entrance door for visibility to the curb.

Manually operated, outward opening 30" minimum opening Dual Panel Entry Door w. Windows.

Stainless Steel Brushed Texture Handrails installed on both sides @ first step of entrance door.

Driver Stanchion - #686 Gray Melamine Modesty Panel at rear of driver's seat bottom w. Plexiglas .25 smoked on top half.

Entry Door Stanchion Modesty Panel left on Entry Door Covered in #686 Gray Melamine.

Brochure Holder, Tri-Fold mounted on Plexiglas panel behind the driver.

Two (2) stainless steel brushed texture assist rails shall be installed on the interior roof of the bus body on each side of the aisle. (Stop rail right before rear wheelchair lift door).

8" round convex rear view mirror mounted on right hand entry door stanchion-Unobstructed View of seating.

Key Locking - Exterior Gas Cap Door, Drivers Door, Lift Doors and overhead bin door.

Two (2) sets of Keys – Ignition, Doors and Fuel. See key code section.

KEY CODES:

Overhead Bin Door:	AH01
Fuel Door/Lift Doors:	CH751

ELECTRICAL:

LED lighting throughout interior and exterior & comply w. FMVSS & ADA Regulations, except OEM front turn signals and headlights.

Intermittent Wipers

Dual Electric Horns.

Drivers dome light on separate switch.

Lighted Red in color, "Exit" signs at emergency windows.

Master Cut-Off switch – Center Console Dash Mounted (To shutdown aftermarket electrical only but not to include security camera system).

PA System – four (4) Speakers with hand held microphone dash mounted (PA System module shall be dash mounted and not affixed to bus floor near driver seat.)

Reverse Alarm mounted at rear of bus.

No AM/FM/CD system installed.

Echovision Reverse Warning System installed or approved equal. (screw mounted under dash)

Intermotive automatic fast idle and ADA interlock or approved equal.

Dual 12-Volt Batteries (total CCA 1100) relocated to stainless steel pull skirt tray rear of entry door w/4/0 cable.

BID SPECIFICATIONS

LED Lights shall be installed on the interior and exterior of the bus @ the wheelchair lift door area.

Camera DVR Security System:

REI – Mobile Video Surveillance HD5-600 DVR System or approved equal with six (6) color cameras to be mounted on slide out rails for ease of maintenance and removal. DVR to be installed in locked storage cabinet above driver's compartment.

REI-Surveillance system should **be wired to the ignition and NOT to the master switch**. This is to prevent drivers from turning off the DVR while driving. DVR shall be on a 15-minute delay shutdown so as to not drain the bus battery when the engine is turned off.

Interior Cameras: 5 interior cameras. Details on each camera is in drawing below. Forward facing front dome camera must be installed on the fixed plate from below the upper storage cabinet. Forward facing front dome camera does not get a day/night illuminator. No adjustable arms should be used. Camera position needs to be fixed. See image of fixed bracket below.



Exterior Camera: 1 camera – 2.8mm Lens – Right Front Exterior Side Mount Camera. Exterior camera must be caulked and sealed from allowing water to seep into the bus.

Storage Capacity: 2 TB SATA HD5 Series Hard Drive to also include 1 spare 2TB SATA HD5 Hard Drive

HD Series Inertia Sensor – Accelerometer 8G Sensor

GPS Antenna Receiver to track correct Latitude, Longitude and Vehicle Speed in MPH.

Panic Button/Event Marker to be installed in driver's compartment. Location to be provided with NTP.

Upon installing the new camera DVR system, the following needs to be followed:


- Confirmation that DVR system tracks the correct Latitude, Longitude and Vehicle Speed in MPH.
- 12 inch slack wire is needed at each camera connection. This allows for camera replacements to go smoothly without the need to cut zip ties and/or take apart bus paneling to get to the camera cable connections.
 - The County of Maui may request random “spot checks” to have Vendor unscrew camera from bus to show the ability to easily troubleshoot and replace cameras.
- All DVR systems shall be pre-programmed with Maui Bus assigned vehicle numbers:
 - VEHICLE ID: MB601 (as an example, ID’s will be provided when programming will be done)
 - COMPANY NAME: MAUI BUS
- Date and Time Set
 - Hawaii Standard Time with Daylights Savings Turned Off
 - 12-Hour Time Display
 - Date and Time synced using GPS Antenna
- Delay power down of DVR system set to 15 minutes
- Max Speed Limit Event Marker alarm Trigger Set at 65 MPH
- Cameras recording at Max Resolution (Best Quality)
Camera cables at DVR side shall be labeled Camera 1, Camera 2, etc.

Sensor Input Setup:

Input #	Description	Display
Input 1:	Red Warning Flashers/Hazards	RW
Input 2:	Lift/Ramp (Front and/or Rear)	UP
Input 3:	Left Turn Signal	LT
Input 4:	Right Turn Signal	RT
Input 5:	De-acceleration	DA
Input 6:	Brakes	BK
Input 7:	Front Door Open	FD
Input 8:	Rear Door Open	RD

Included in the image below are the potential camera locations on the bus (See image below). However, the final camera locations will need to be approved before the installation of the new cameras begins. The Vendor shall work with the County of Maui on final camera angling/pointing before fastening down the cameras within the buses.

- Camera 1 – Facing Forward (Drivers Road View) mounted from the bottom of the upper storage compartment on a fixed pedestal (not dash mounted), Dome camera 2.8 mm lens (no IR installed)
- Camera 2 – Front of bus facing rear, IP Mini-Dome Camera 107 degree HFOV
- Camera 3 – Facing out front door, Dome camera with IR 2.8 mm lens
- Camera 4 – Facing out rear door and towards front of bus, IP Mini-Dome Camera 107 degree HFOV
- Camera 5 – Exterior capturing doors on curbside, Exterior side mount camera with IR, right front 2.8 mm lens
- Camera 6 – Above front door facing driver, Dome camera with IR 2.8 mm lens



HVAC – SPECIFICATIONS:

OEM Front in Dash A/C, Defrost & Heat independent of rear air conditioning system.

Independent ACT Rear Air Conditioning ACT23 HD MAX Free Blow or approved equal - w. CS3 Skirt Condenser, EZ-20 Rear Wall Mounted Evaporator and TM16 Separate Compressor. Roof rear mounted bolt bracket to be stainless steel painted white.

Combined BTU front and rear 70,000 BTU minimum w. R134A.

NOTE: OEM a/c system must be independent of rear system.

Eaton E-Z Clip system or approved equal with Parts List & Tools.

SEATS / INTERIOR:

Freedman mid-back fold-away #686 Gray vinyl seats or approved equal, w. **underseat retractable (USR) seat belts** and **spring shield** on bottom of seats.

Seats shall be fitted with a grab handle on all seats.

Seats shall be fitted with under seat wheelchair TDSS restraint storage tracks.

All foldable seats shall have NO armrest bracket hidden under the vinyl seat covers on seat frame. In previous orders, since no seats comes with armrests, the welded bracket cuts a hole through the seat cover. The seats shall be ordered without that bracket.

Driver Hi-Back with 6 way power base adjustable seat, Gray Cloth with folding armrest and shoulder / lap belt.

Diamond Fare box – Model “XV” or approved equal w. 2 vaults keyed the same per Maui Bus, driver side fare dump handle, mounted on stanchion next to driver. Lighted when vehicle lights are activated.

ADA REQUIREMENTS:

Braun Century 2 Series Wheelchair Lift or approved equal installed to rear of rear wheels. The useable platform shall be a minimum of 34” W X 51”L. & be ADA compliant. Lift shall include a back-up pump and handrail restraint.

Q-Straint auto retractable wheelchair 4-point “L” track or approved equal and belt sys. forward facing with auto retractable lap / shoulder restraint attached to sidewall of bus.

Placement and location of floor anchors will be determined prior to order.

Wheelchair Lift Doors shall be mounted aft of rear axle on right side of bus. There shall be two (2) doors with glass in upper portion of each door and include gas assist shocks.

InterMotive Lift / Break interlock or approved equal to meet ADA requirements.

ADA & priority seating decals installed on exterior and interior of bus.

Stop request yellow pull cord system, w. chime and lighted stop request Sign (flush mounted @ front of bus). Pull cord must be accessible to all passengers including wheelchair passengers.

SAFETY EQUIPMENT:

One (1) 10 lb. Fire Extinguisher installed at the right of entrance door.

One (1) First Aid Kit installed at the right of entrance door.

One (1) Blood Borne Pathogen Kit located at the right of entrance door.

One (1) Triangle Reflector Kit installed behind Driver Seat.

One (1) Wheel Chock – molded rubber, installed in driver area.

SPARE PARTS:

Spare parts are to be included in the price of the bid. As an example per order will be defined as whether the County purchases 5 buses, the 5 buses would be one order. If the County purchases 10 buses, the 10 buses would be one order. If the county exercises the option for additional buses, the additional buses will be still considered part of the original order. Per bus will be defined as the specified amount per each bus.

Five (5) sets of fan belts, alternator, a/c compressor belts per order.

Five (5) sets of radiator hoses top and bottom per order.

Five (5) complete sets of wheelchair restraint belts per order.

One (1) set of extension seat belts per bus.

WARRANTY & TECH MANUALS:

Warranty & Tech Manuals are to be included in the price of the bid. As an example per order will be defined as whether the County purchases 5 buses, the 5 buses would be one order. If the County purchases 10 buses, the 10 buses would be one order. If the county exercises the option for additional buses, the additional buses will be still considered part of the original order. Per bus will be defined as the specified amount per each bus.

Three (3) OEM Service & Repair Manuals per order.

Three (3) Body Parts Manuals per order.

Three (3) Body Electrical Manuals per order.

Where applicable, the manufacturer's standard warranty, meeting the specifications herein, shall be furnished with the delivery of the buses. The warranty period shall start no earlier than from the date of acceptance of the buses.

CERTIFICATIONS:

Documentation and Certifications for this section shall be submitted with bid, along with various submittal forms as part of **Attachment "A"**.

Certifications and Restrictions on Lobby Certification required with Bid documents.

Government-wide Debarment and Suspension Certification required prior to award.

Bus Testing Certification required prior to delivery.

Compliance with Buy America and FMVSS Rolling Stock Requirements Certification required with Bid documents.

Non-Compliance with Buy America and FMVSS Rolling Stock Requirements Certification required with Bid documents.

FMVSS 220 Roll-Over Certification by a licensed PE with Bid.

Detailed Floor Plan with leg room spacing in inches between seats, Front, Rear and Side Elevation Plan with Bid.

Transit Vehicle Manufacturer form required with Bid documents.

Altoona Test Results – 7 year/200,000 mile test report shall be submitted prior to delivery.

FAILURE TO SUBMIT THE ABOVE WILL CAUSE THE PROPOSAL TO BE REJECTED!

ADDITIVE OPTIONS:

Bidder is to list price per line item. The price quote of these items is **independent** of this bid solicitation. MEO may or may not purchase the additive option listed below. **The prices of this option is not to be added into the final cost of the bus bid. This is independent of this bid solicitation.**

One (1) LiquidSpring Compressible Liquid Adaptive Suspension System. **This cost would be the “upgrade” cost to have this option. This would be an additive option per bus.**

DELIVERY:

Delivery date shall no sooner than November 2022 and no later than March 30, 2023 as specified in the "Notice to Proceed" issued by the CEO.

Total Price shall be FOB Maui Hawaii at a delivery location designated by the County of Maui, Department of Transportation.

Before the delivery of the buses for acceptance by MEO, the Contractor shall, at the Contractor's expense, be responsible for:

- Weighing each bus & secure all weight documents required for registration.
- Secure all safety documents required for registration.
- Register all buses (information to be provided with contract).
- Provide PUC Identification Cards for each bus.
- Wash and Polish completely each bus after arrival on Maui.
- Buses must have a full tank of gas upon delivery.

PROCUREMENT IS SUBJECT TO THE AVAILABILITY OF FUNDING.